

Government of Maharashtra

³⁵¹²
SEAC-2013/CR-139/TC-2
Environment department
Room No. 217, 2nd floor,
Mantralaya Annexe,
Mumbai- 400 032.
Dated: 29th April, 2014

To,
M/s. Ratan Builders
38-A, kika street,
gulalwadi, mumbai

Subject: Environment clearance for proposed S.R. Scheme on plot bearing CTS No. 3996(pt), 3997(pt), 3999(pt), 4000(pt), 4001, 4002(pt), 4002A & 4003(pt) of village Ghatkopar Kirol, Ghatkopar (West), Mumbai by M/s Ratan Builders

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-II, Maharashtra in its 13th & 20th meetings decided to recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 69th Meeting.

2. It is noted that the proposal is for grant of Environment Clearance for proposed S.R. Scheme on plot bearing CTS No. 3996(pt), 3997(pt), 3999(pt), 4000(pt), 4001, 4002(pt), 4002A & 4003(pt) of village Ghatkopar Kirol, Ghatkopar (West), Mumbai. SEAC considered the project under screening category 8(a) B2 as per EIA Notification 2006.

Brief Information of the project submitted by Project Proponent is as:

Name of Project	Proposed Residential Project with SRA Scheme project
Project Proponent	M/s Ratan Builders
Consultant	Mahabal Enviro Engineers Pvt. Ltd.
Type of project	SRA Scheme Project
Location of the project	On plot bearing CTS No. 3996(P), 3997(P), 3998(P), 3999(P), 4000(P), 4001, 4002(P), 4002A, 4003(P) of village Ghatkopar Kirol, Ghatkopar (W), Mumbai
Whether in corporation	Municipal Corporation of Greater Mumbai
Applicability of the DCR	DCR 1994
Total Plot Area	10,985.44 m ²
Deductions	7,098.42 m ²
Net plot area	3,887.02 m ²

Permissible FSI (Including TDR etc.)	3	
Proposed Built-up Area (FSI & Non-FSI)	FSI Area	32,485.93 m ²
	Non FSI Area	16,494.50 m ²
	Total Built up Area	48,980.43m ²
Ground coverage percentage	28.8 % on Gross Plot Area	
Estimated cost of the project	Rs. 109.18 Crore	
No. of Buildings & its configuration	Sale Residential Building 1	2 Basement + Lower Grd + Upper Grd + 13 Upper Floors
	Sale Residential Building 2	Basement + Grd + 6 Upper Floors
	Municipal School	Grd + 7 Upper Floors
	Rehab Bldg 1	Grd + 15(pt.) Upper Floors
	Rehab Bldg 2	Grd + 15 Upper Floors
	Rehab Bldg 3	Grd + 15 Upper Floors
	Rehab Bldg 4	Grd + 15(pt.) Upper Floors
Number of tenants and shops	Rehab Flats	598
	Residential / Commercial	3
	Commercial	22
	Amenities	20
	Sale Flats	280
	Sale Commercial	23
	School Bldg	502
Number of expected residents / users	5093 Nos.	
Height of the building(s)	Maximum height of building 46.70 m	
Right of way	6 m - 7.5 m	

Total Water requirement	Dry Season	
	Fresh water (CMD)	407
	Source	MCGM
	Recycled Water (CMD)	223
	Total water requirement (CMD)	626
	Fresh water (CMD)	354
	Source	MCGM

	Recycled Water (CMD)	219
	Total water requirement (CMD)	626
<p>Rain Water Harvesting (RWH) Size and No. of RWH tanks and quantity : 5 tank of total Capacity of 110 m³ Location of RWH tank : Under ground Budgetary allocation : Capital Cost: 20 Lakhs O & M Cost: 2 Lakhs</p>		
Storm Water Drainage	Natural water drainage pattern	
	Quantity of storm water	1235.6 m ³ /hr
	Size of SWD	0.5 m x 0.35m
Sewage and waste water	Sewage generation (CMD)	585 KLD
	STP Technology	MBBR Technology
	Capacity of STP (CMD)	620 KLD
	Location of the STP	
<p>DG sets (during emergency) DG sets will be provided as alternate supply for essential services such as STP, Fire Fighting, Lift etc. Total capacity 750 kVA</p>		
<p>Budgetary allocation Capital Cost: 62.5 Lakhs O & M Cost: 12 Lakhs</p>		
Solid waste management	Waste generation in the Operation phase	
	Dry Waste (kg/d) : 1404 kg/day	
	Wet Waste (kg/d)	936 kg/day
	STP Sludge (dry sludge) (kg/d)	6 CMD
<p>Dry Waste : Dry garbage will be segregated & disposed off to recyclers Wet Waste : Wet garbage will be composted using Mechanical Composting Technology and used as organic manure for landscaping. STP sludge (dry sludge) : Sludge use as manure for gardening</p>		
<p>Budgetary allocation Capital Cost: 25 Lakhs O & M Cost: 5 Lakhs</p>		
Green Belt Development	RG area other than green belt	Playground 512.30 m ²
	RG on ground	353.07 m ²
	RG on Podium	NIL
	Budgetary allocation	Capital Cost: 22 Lakhs

		O & M Cost: 3 Lakhs
Energy	Connect load	4 MW
	Source	MSEDCL

Budgetary allocation
 Capital Cost: 25 Lakhs
 O & M Cost: 2.5 Lakhs
 Number and capacity of the DG sets to be used
 Capacity of DG Set provided will be 750 kVA

Environment Management Plan Budgetary Allocation :

Component	Capital Cost (Rs. In Lakhs)	O & M Cost (Rs. In Lakhs/year)	Monitoring Frequency
STP (Tertiary)	62.50	12	Continuous O & M Environment Monitoring; Monthly, STP outlet water quality for pH, BOD, CO and O & G
Solar Lighting & Solar hot Water for Sale buildings	25	2.5	Weekly
Rainwater harvesting	20	2	During rainy season (clean UG tanks and filtration unit before rainy season)
Solid Waste Composting plant	25	5	Continuous O & M Environment Monitoring; Monthly to assess the compost quality
Landscape	22	3	Daily
Total Cost	129.5	24.5	

Traffic Management	Nos. of the junction to the main road & design of confluence	
	Number & area of basement	1 No. of Basement with 1790.24 m ²
	Total Parking Area	3566.74 m ²
	Area per car	26.82 m ²
	4-Wheeler	133

3. The proposal has been considered by SEIAA in its 69th meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions :
- (i) This environmental clearance is issued subject to land use verification. Local authority / planning authority should ensure this with respect to Rules, Regulations, Notifications, Government Resolutions, Circulars, etc. issued if any. Judgments/orders issued by Hon'ble High Court, Hon'ble NGT, Hon'ble Supreme Court regarding DCR provisions, environmental issues applicable in this matter should be verified. PP should submit exactly the same plans appraised by concern SEAC and SEIAA. If any discrepancy found in the plans submitted or details provided in the above para may be reported to environment department. This environmental clearance issued with respect to the environmental consideration and it does not mean that State Level Impact Assessment Authority (SEIAA) approved the proposed land use.
 - (ii) PP has to abide by the conditions stipulated by SEAC & SEIAA.
 - (iii) The height, Construction built up area of proposed construction shall be in accordance with the existing FSI/FAR norms of the urban local body & it should ensure the same along with survey number before approving layout plan & before according commencement certificate to proposed work. Plan approving authority should also ensure the zoning permissibility for the proposed project as per the approved development plan of the area.
 - (iv) "Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
 - (v) All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.
 - (vi) Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement in Para 2. Prior certification from appropriate authority shall be obtained.
 - (vii) Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche and First Aid Room etc.
 - (viii) Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
 - (ix) The solid waste generated should be properly collected and segregated. dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material

- (x) Wet garbage should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. Local authority should ensure this.
- (xi) Arrangement shall be made that waste water and storm water do not get mixed.
- (xii) All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- (xiii) Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- (xiv) Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- (xv) Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- (xvi) Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- (xvii) Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dumpsites for such material must be secured so that they should not leach into the ground water.
- (xviii) Any hazardous waste generated during construction phase should be disposed off as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- (xix) The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- (xx) The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from concern authority shall be taken.
- (xxi) Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- (xxii) Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- (xxiii) Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27th August, 2003. (The above condition is applicable only if the project site is located within the 100Km of Thermal Power Stations).
- (xxiv) Ready mixed concrete must be used in building construction.
- (xxv) The approval of competent authority shall be obtained for structural safety of the buildings due to any possible earthquake, adequacy of fire fighting equipments etc. as per National Building Code including measures from lighting.
- (xxvi) Storm water control and its re-use as per CGWB and BIS standards for various applications.

- (xxvii) Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
- (xxviii) The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- (xxix) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Discharge of this unused treated effluent, if any should be discharge in the sewer line. Treated effluent emanating from STP shall be recycled/refused to the maximum extent possible. Discharge of this unused treated effluent, if any should be discharge in the sewer line. Treatment of 100% gray water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP.
- (xxx) Local body should ensure that no occupation certification is issued prior to operation of STP/MSW site etc. with due permission of MPCB.
- (xxxi) Permission to draw ground water and construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- (xxxii) Separation of gray and black water should be done by the use of dual plumbing line for separation of gray and black water.
- (xxxiii) Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- (xxxiv) Use of glass may be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.
- (xxxv) Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement
- (xxxvi) Energy conservation measures like installation of CFLs /TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible like installing solar street lights, common solar water heaters system. Project proponent should install, after checking feasibility, solar plus hybrid non conventional energy source as source of energy.
- (xxxvii) Diesel power generating sets proposed as source of back up power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.

(xxxviii) Noise should be controlled to ensure that it does not exceed the prescribed standards. During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.

(xxxix) Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.

(xl) Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code, which is proposed to be mandatory for all air-conditioned spaces while it is aspirational for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.

(xli) The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.

(xlii) Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings.

(xliii) Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.

(xliv) Six monthly monitoring reports should be submitted to the Regional office MoEF, Bhopal with copy to this department and MPCB.

(xlv) A complete set of all the documents submitted to Department should be forwarded to the Local authority and MPCB.

(xlvi) In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Department.

(xlvii) A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.

(xlviii) Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department.


(xlix) The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at <http://www.mahapol.com>.

(l) Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.

(li) A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.

(lii) The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sector

- parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
- (iii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- (iv) The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
5. In case of submission of false document and non compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environmental Clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.
7. **Validity of Environment Clearance:** The environmental clearance accorded shall be valid for a period of 5 years.
8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.
9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
10. Any appeal against this environmental clearance shall lie with the National Green Tribunal, Van Vigyan Bhawan, Sec- 5, R.K. Puram, New Dehli - 110 022, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.


(R.A. Rajeev)
Principal Secretary,
Environment department &
MS, SEIAA

- Copy to:
1. Shri. R. C. Joshi, IAS (Retd.), Chairman, SEIAA, Flat No. 26, Belvedere, Bhulabhai desai road, Breach candy, Mumbai- 400026.

2. Shri. Ravi Bhushan Budhiraja, Chairman, SEAC-II, 5-South, Dilwara Apartment, Cooperage, M.K.Road, Mumbai 400021
3. Additional Secretary, MOEF, 'Paryavaran Bhawan' CGO Complex, Lodhi Road, New Delhi - 110510
4. Member Secretary, Maharashtra Pollution Control Board, with request to display a copy of the clearance.
5. The CCF, Regional Office, Ministry of Environment and Forest (Regional Office, Western Region, Kendriya Paryavaran Bhavan, Link Road No- 3, E-5, Ravi-Shankar Nagar, Bhopal- 462 016). (MP).
6. Commissioner, Municipal Corporation Greater Mumbai (MCGM)
7. Collector, Mumbai.
8. CEO, Slum Rehabilitation Authority , Griha Nirman Bhavan, Bandra (E), Mumbai - 400 051
9. Regional Office, MPCB, Mumbai.
10. IA- Division, Monitoring Cell, MoEF, Paryavaran Bhavan, CGO Complex. Lodhi Road, New Delhi-110003.
11. Select file (TC-3).

(EC Uploaded on 17/5/2014)